

CLAIM LISTING

1. (currently amended) A computer readable medium having instructions for detecting a triggering event, determining if a print job designated time sensitive has expired following ~~[[a]]~~ the detected triggering event and purging the print job from a memory upon determining the print job has expired, wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer and wherein determining if the print job has expired includes identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by expiration data included with the print job.

2. (cancelled)

3. (cancelled)

4. (cancelled)

5. (currently amended) A computer readable medium having instructions for:
detecting a triggering event;
determining if a print job stored in a memory has been designated time sensitive following a detected triggering event; and

if the print job has been designated time sensitive, obtaining expiration data for the print job, determining if the print job has expired ~~and, if the print job has expired~~ according to the expiration data, and purging the print job from the memory if the print job has expired;

wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer; and

wherein determining if the print job has expired includes identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by the obtained expiration data.

6. (cancelled)

7. (currently amended) The medium of Claim 5, wherein the memory is a printer memory and wherein:

the instructions for obtaining expiration data include instructions for obtaining expiration data relating to a duration that the print job is to be held in the printer memory following the malfunction; and

the instructions for purging include instructions for purging the print job from the printer memory.

8. (currently amended) The medium of Claim 5, wherein the memory is a queue and wherein:

the instructions for obtaining expiration data include instructions for obtaining expiration data relating to a duration that the print job is to be held in the queue following the malfunction; and

the instructions for purging include instructions for purging the print job from the queue.

9. (currently amended) A computer readable medium having instructions for:
receiving instructions from an application to print an electronic document;
translating the instructions into a print job;

presenting a user interface having user accessible controls for designating the print job as time sensitive and for specifying expiration data; and

if so selected through the interface, designating the print job as time sensitive and including expiration data with the print job, the expiration data indicating a duration for holding the print job in a memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer, the time sensitive designation indicating that the print job is to be purged from the memory upon identifying that a time elapsed following detection of the malfunction exceeds the duration included in the expiration data.;

~~wherein the expiration data represents a duration for holding the print job in a memory and used to determine whether the print job has expired and is to be purged from the memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer.~~

10. (currently amended) The medium of Claim 9, wherein the memory is a printer memory and the duration is a first duration and wherein the instructions for presenting include instructions for presenting a user interface having user accessible controls for designating the print job as time sensitive and for specifying expiration data relating to [[a]] the first duration for holding the print job in the printer memory and a second duration for holding the print job in a queue prior to the print job being delivered from the queue to the printer memory.

11. (currently amended) A computer readable medium having instructions for:
identifying a malfunction that prevents, at least temporarily, a print job stored in a memory from being delivered to or printed by a printer;
upon identifying the malfunction, determining if the print job has expired; and
if expired, purging the print job from the memory,
wherein determining if the print job has expired includes obtaining expiration data included with the print job, identifying a time elapsed following the detection of the malfunction, and determining if the elapsed time has exceeded a duration indicated by the obtained expiration data.

12. (original) The medium of claim 11 having further instructions for determining if the print job has been designated as a time sensitive, and wherein the instructions for purging include instructions for purging the print job only if it has been designated as a time sensitive print job.

13. (original) The medium of claim 11 wherein the memory is a queue and wherein the instructions for purging include instructions for purging the print job from the queue.

14. (original) The medium of claim 11 wherein the memory is a printer memory and wherein the instructions for purging include instructions for purging the print job from the printer memory.

15. (original) The medium of Claim 11 having further instructions for notifying a user if the print job has been purged.

16. (currently amended) A method for purging a print job, comprising, detecting a triggering event, determining if a print job designated as time sensitive has expired following ~~the~~ the triggering event and purging the print job from a memory upon determining the print job has expired, wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer, and wherein determining if the print job has expired includes identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by expiration data included with the print job.

17. (cancelled)

18. (cancelled)

19. (cancelled)

20. (currently amended) A method for purging a print job, comprising:
detecting a triggering event;
determining if a print job stored in a memory has been designated time sensitive;
if the print job has been designated time sensitive and a detected triggering event has occurred, obtaining expiration data ~~associated~~ included with the print job,
determining if the print job has expired according to the expiration data, and, if the print job has expired ~~according to the expiration data~~, purging the print job from the memory;

wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer; and
wherein determining if the print job has expired includes identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by the obtained expiration data.

21. (cancelled)

22. (currently amended) The method of Claim 20, wherein the memory is a printer memory and wherein:

obtaining expiration data comprises obtaining expiration data relating to a duration that the print job is to be held in the printer memory following the malfunction; and

purging comprises purging the print job from the printer memory.

23. (currently amended) The method of Claim 20, wherein the memory is a queue and wherein:

obtaining expiration data comprises obtaining expiration data relating to a duration that the print job is to be held in the queue following the malfunction; and
purging comprise purging the print job from the queue.

24. (currently amended) A method for designating a print job as time sensitive, comprising:

receiving instructions from an application to print an electronic document;

translating the instructions into a print job;

presenting a user interface having user accessible controls for designating the print job as time sensitive and for specifying expiration data; and

if so selected through the interface, designating the print job as time sensitive and including expiration data with the print job, the expiration data indicating a duration for holding the print job in a memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer, the time

sensitive designation indicating that the print job is to be purged from the memory upon identifying that a time elapsed following detection of the malfunction exceeds the duration included in the expiration data.;

~~wherein the expiration data represents a duration for holding the print job in a memory and used to determine whether the print job has expired and is to be purged from the memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer.~~

25. (currently amended) The method of Claim 24, wherein the memory is a printer memory and the duration is a first duration and wherein presenting comprises presenting a user interface having user accessible controls for designating the print job as time sensitive and for specifying expiration data relating to [[a]] the first duration for holding the print job in the printer memory and a second duration for holding the print job in a queue prior to the print job being delivered from the queue to the printer memory.

26. (currently amended) A method for purging a print job, comprising:
identifying a printer malfunction that, at least temporarily, prevents a print job stored in a memory from being delivered to or printed by a printer;
upon identifying the malfunction, determining if the stored print job has expired;
and
if expired, purging the print job from the memory;
wherein determining if the print job has expired includes obtaining expiration data included with the print job, identifying a time elapsed following the detection of the malfunction, and determining if the elapsed time has exceeded a duration indicated by the obtained expiration data.

27. (original) The method of claim 26 further comprises:
determining if the print job has been designated as time sensitive; and
purging the print job only if it has been designated as a time sensitive print job.

28. (original) The method of claim 26 wherein the memory is a queue, and wherein purging the print job includes purging the print job from the queue.

29. (original) The method of claim 26, wherein the memory is a printer memory, and wherein purging the expired print job includes purging the expired print job from the printer memory.

30. (original) The method of claim 26, further comprising notifying a user that the print job has been purged.

31. (currently amended) A method for purging a print job, comprising:
designating the print job as a time sensitive print job;
including expiration data in the print job, the expiration data indicating a duration;
queuing the time sensitive print job;
detecting a first malfunction that, at least temporarily, prevents the time sensitive print job from being delivered to or printed by a printer;
identifying a first time elapsed following the detection of the first malfunction; and
purging the time sensitive print job from the queue if the identified first elapsed time exceeds the duration indicated by the expiration data included with the print job
~~malfunction is not remedied within a set time.~~

32. (currently amended) The method of Claim 31, wherein the duration is a first duration and the expiration data further indicates a second duration, the method further comprising:
sending the time sensitive print job from the queue to a printer memory;
detecting a second malfunction that prevents the time sensitive print job in the printer memory from being printed;
identifying a second time elapsed following the detection of the first malfunction;
and

purging the printer memory of the time sensitive print job from the printer memory if the second elapsed time exceeds the second duration indicated by the expiration data included with the print job ~~malfunction is not remedied within a set time.~~

33. (original) The method of claim 31, further comprising notifying a user if the print job has been purged.

34. (original) The method of Claim 31, further comprising associating expiration data with the time sensitive print job, and after detecting the malfunction using the expiration data to determine if the time sensitive print job has expired, and wherein purging comprises purging the time sensitive print job only if it has expired.

35. (currently amended) A system for printing, comprising:
an application capable of instructing an electronic document to be printed; and
a driver capable of translating printing instructions from ~~[[an]]~~ the application into a print job and of allowing a user to designate the print job as time sensitive and to specify and include expiration data with ~~[[for]]~~ the print job;

wherein the expiration data ~~represents~~ indicates a duration for holding the print job in a memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer, the time sensitive designation indicating that the print job is to be purged from the memory upon identifying that a time elapsed following detection of the malfunction exceeds the duration included in the expiration data ~~and used to determine whether the print job has expired and is to be purged from the memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer.~~

36. (currently amended) A print server, comprising:
a queue for temporarily holding a print job; and
a queue manager capable of detecting a triggering event, determining, upon detection of a triggering event, if the print job held in the queue is time sensitive, and, if

time sensitive, determining if the print job has expired, and purging the print job from the queue if the time sensitive print job has expired;

wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer; and

wherein the queue manager is operable to determine if the print job has expired by identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by expiration data included with the print job.

37. (cancelled)

38. (cancelled)

39. (cancelled)

40. (currently amended) An image forming device, comprising:
a print engine capable of printing information on print media;
a memory manager capable of storing a print job in a memory, routing the print job from the memory to the print engine, and purging the print job from the memory; and
a recovery feature capable of detecting a triggering event, identifying whether the print job held in the memory is time sensitive, and, if time sensitive and if a triggering event has been detected, determining if the print job has expired, and instructing the memory manager to purge the print job from the memory if the time sensitive print job has expired;

wherein the detected triggering event is a malfunction that prevents, at least temporarily, the print job from being printed; and

wherein the recovery feature is operable to determine if the print job has expired by identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by expiration data included with the print job.

41. (cancelled)

42. (cancelled)

43. (currently amended) An image forming device, comprising:

a memory for storing a print job;

a print engine capable of printing information on print media;

a memory manager capable of storing the print job in the memory, routing the print job from the memory to the print engine, and purging the print job from the memory; and

a recovery feature capable of identifying a printer malfunction that prevents, at least temporarily, the print job from being printed, identifying whether the print job held in the memory is time sensitive, and, if time sensitive, instructing the memory manager to purge the print job from the memory if the time sensitive print job expires before the malfunction is remedied, wherein the recovery feature is operable to determine if the print job has expired by identifying a time elapsed following the detection of the malfunction and determining if the identified elapsed time has exceeded a duration indicated by expiration data included with the print job.

44. (currently amended) A printer driver, comprising:

a means for receiving instructions from an application to print an electronic document;

a means for translating the instructions into a print job;

a means for presenting a user interface having user accessible controls for designating the print job as time sensitive and for specifying expiration data; and

a means for designating the print job as time sensitive and including expiration data with the print job if so selected through the interface;

wherein the expiration data ~~represents~~ indicates a duration for holding the print job in a memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer, the time sensitive designation indicating that the print job is to be purged from the memory upon

identifying that a time elapsed following detection of the malfunction exceeds the duration included in the expiration data ~~a duration for holding the print job in a memory and used to determine whether the print job has expired and is to be purged from the memory following a detection of a malfunction that prevents, at least temporarily, the print job from being delivered to or printed by a printer.~~

45. (currently amended) A system for purging a print job, comprising:
a means for storing the print job in memory;
a means for identifying a printer malfunction that, at least temporarily, prevents the stored print job from being delivered to or printed by a printer;

a means for identifying a time elapsed since the malfunction was identified;
a means for comparing the identified elapsed time with a duration indicated by expiration data included with the print job to determine if the print job has expired; and

~~a means for determining, upon identifying the malfunction, if the stored print job has expired; and~~

a means for purging the print job, if expired, from memory.